


NOTES:																	
1. SEPTIC SYSTEM COMPONENT LOCATIONS AND CONFIGURATION MAY BE ALTERED TO ACCOMMODATE SITE GRADING, LANDSCAPING AND INTERIOR PLUMBING OUTLET(S). ALL MINIMUM SIZING, LENGTHS, VOLUMES AND SETBACKS MUST BE MAINTAINED.																	
2. ALL PROPERTY LINES ARE GREATER THAN 3.4 m FROM ALL SEPTIC COMPONENTS																	
3. ANY DRILLED/DUG WELLS MUST BE INSTALLED AT LEAST 15.0 m FROM SEPTIC TANKS AND AT LEAST 15.4 m/30.4 m FROM DISTRIBUTION PIPING.																	
<table border="1"> <tr> <th>NO.</th><th>DESCRIPTION</th><th>DATE</th></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table>			NO.	DESCRIPTION	DATE												
NO.	DESCRIPTION	DATE															
REVISIONS																	
 CMT ENGINEERING INC. 1011 Industrial Crescent, Unit 1 St. Clements, Ontario N0B 2M0 Tel.: 519-699-5775 Fax: 519-699-4664 www.cmtinc.net																	
PROJECT:																	
PROPOSED SEPTIC SYSTEM 6575 Gore Road, Puslinch, Ontario																	
DRAWING TITLE:																	
SITE PLAN SHOWING SEPTIC SYSTEM LAYOUT																	
PROJECT NO.:	DATE:																
25-172	May 7, 2025																
SCALE:	DRAWING NO.																
1:200	2																